



BODY 2 BABY

ULTRASOUND

Monday to Friday: 9:30am – 6:30pm

Saturday: 9:00am – 12:00pm

+64 986 93328

reception@b2bultrasound.co.nz

www.b2bultrasound.co.nz

124 Hobsonville Road, Hobson Centre,
Level 1 (Upstairs), Hobsonville, Auckland, 0618

Patient Information

Name		Address	NHI Number (Required)
<input type="text"/>		<input type="text"/>	<input type="text"/>
Date of Birth	Contact Phone		ACC Number
<input type="text"/>	<input type="text"/>		<input type="text"/>

Services

General Ultrasound

- Abdomen
- Female pelvis
- Male Pelvis
- Renal Tract
- Scrotum
- Thyroid/Neck
- Breast
- Lumps & bumps / Soft Tissue
- Foreign Body

Musculoskeletal Ultrasound

- Shoulder
- Elbow
- Wrist
- Knee
- Ankle
- Groin / Hernia
- Abdominal wall / Hernia

Pregnancy Ultrasound

- 1st Trimester
- Nuchal Translucency
- 2nd Trimester / Anatomy
- 3rd Trimester / Growth
- Post-partum
- 4D Pregnancy (non-diagnostic)

Vascular Ultrasound

- Leg veins DVT
- Arm veins DVT
- Carotid Doppler
- Aorta

Paediatric Ultrasound

- Abdomen
- Renal
- Scrotum
- Neonatal Head
- Neonatal Hip

Clinical Information

Tick if urgent LMP: EDD:

Referral Information

Name	Date
<input type="text"/>	<input type="text"/>
Send copies to	Signature
<input type="text"/>	<input type="text"/>

Map

124 Hobsonville Rd, Hobsonville



Patient Preparation

Abdominal Ultrasound

Avoid food for 6 hours prior to your scan. You may only drink water. Take medication as usual but consult your doctor if you're diabetic.

First Trimester/Nuchal Translucency/Female & male pelvis/ Renal Ultrasound.

A full bladder is required for this scan. To prepare for the ultrasound, empty your bladder two hours before the exam. Then, drink 4-5 glasses of water 40-60 minutes before the scan. Avoid emptying your bladder after drinking water.

Maternity patients:

After 14 weeks you do not need a full bladder for your scan.